(SCANGRIP®



PROFESSIONAL RANGE OF WORK LIGHTS WITH UNMATCHED VALUE FOR MONEY

More powerful than ever

Taking advantage of years of experience in developing high-quality work lights, the SCANGRIP LITE products have undergone significant upgrades, using only the technologies that have proven to be the best. Supplied with the highly efficient LED COB technology, the light output of the LITE products has been increased considerably, providing an even better performance. What you get is excellent value for money. Still pure SCANGRIP.

Complete range of work lights

The SCANGRIP LITE range has been extended with a number of sturdy and highly efficient flashlights that everybody needs, comprising a complete and full range of cost competitive work lights for all possible tasks.

Designed to do the job

Whether the task involves being detail oriented or looking at the overall picture, SCANGRIP LITE has got what it takes. Every need for lighting will be met, both in the industry, in the workshop or professionals requiring efficient work light not to mention the passionate amateur enjoying his hobby or anyone in between.

No-nonsense work lights

The design of the SCANGRIP LITE product line is streamlined, functional and user-friendly. All unnecessary features are omitted for the benefit of precise and handy operation providing good quality work lights. The intuitive ready-to-use work light solutions ensure success right from the start.



(SCANGRIP®



GO GREEN - A better choice for the climate SCANGRIP work lights are a choice in a greener direction where the climate impact is minimized on an everyday basis. All our lighting solutions are developed to be energy saving and with a long lifetime. Whether you compare energy efficiency with traditional technologies or other LED products, you will save energy by choosing a SCANGRIP work light. The LED PERFORMANCE indicates the actual light output of the LED in a SCANGRIP work light and we aim for the highest number to achieve less power consumption compared to other solutions on the market.





// The "ORIGINAL SCANGRIP" symbol is your guarantee that the product is designed, developed and made by SCANGRIP and protected by EU design patent.

High quality

SCANGRIP products are known for high quality with a price-to-quality ratio considered to be the best on the market. We have comprehensive quality check procedures, and we are ISO 9001 certified.

Unique design

SCANGRIP receives strong recognition in the marketplace for unique product design. We are inspired by the concept of Danish design and gather ideas from other industries to create new products that have not been seen before.

Europe's leading manufacturer

SCANGRIP provides the strongest and most comprehensive range of durable and functional LED work lights and is Europe's leading and trendsetting manufacturer of work lighting solutions for professionals.

First-mover

SCANGRIP is first-mover and is always two steps ahead when it comes to developing new and innovative LED work lights.

Since 1906

SCANGRIP has manufactured hand tools of very high quality for the industrial and automotive sectors for 115 years.



Work lights designed to do the job









// Rechargeable, multifunctional hand lamps in slim design

The small (S) and medium-sized (M) WORK LITE hand lamps are no-nonsense, good quality work lights for universal application at a very competitive price.

Compared to the first generation, the WORK LITE hand lamps have been upgraded with the highly efficient COB LED technology that ensures super bright illumination of the work area.

- Ultra lightweight for optimum comfort
- Adjustable light output with stepless dimmer function
- Slim, compact design
- Patented multi-functional SMART CLIP 4-in-1 system



SMART CLIP 4 in 1

With the patented, integrated SMART CLIP 4-in-1 concept the lamp can be positioned in numerous different ways depending on the specific job in question.

(SCANGRIP®

// Patented SMART CLIP concept

The WORK LITEs are designed for the professional user who demands functional, practical and user-friendly work lights. The SMART CLIP 4-in-1 system integrates several multi-functions in the same unit. The clip is designed to fit the work belt and carry the lamp, available and at hand when needed for an inspection job.

Flexible positioning of the work light when both hands are needed can be obtained by the strong built-in magnet or by the retractable, turnable hook. Furthermore, the SMART CLIP can be used as a stand on any available surface.

// Ultra lightweight for maximum working comfort



The WORK LITE hand lamps are technically designed to weigh as little as possible in order to provide maximum working comfort. Due to the very low weight it will be comfortable to hold the lamp in your hand for inspection tasks even for a longer period of time. The slim, compact design

with round shapes and no sharp edges also makes it comfortable to carry the work light in the pocket a full working day.

// Stepless dimmable



The WORK LITE hand lamps are upgraded with a stepless dimmer function in the range of $10\,\%$ to $100\,\%$ that enables you to easily adjust the light output to the work task.



SMART CLIP 4 in 1





IP F

HOOK





MAGNET

STAND



WORK LITE S

03.5667


Rechargeable work light with SMART CLIP and stepless dimmer providing up to 250 lumen




WORK LITE M

03.5668

Rechargeable work light with SMART CLIP, top light and stepless dimmer providing up to 350 lumen









// Handy work lights with fundamental features

STICK LITEs are rechargeable, powerful work lights with torch light function enabling convenient and precise work. STICK LITEs are recommended for everyone who need universal, sturdy and handheld work lights. The practical built-in magnets allow you to benefit from the bright light of the STICK LITEs and still having both hands free for work.

// Ultra lightweight and compact design

The ultra-thin and compact design with round shapes makes STICK LITE comfortable to carry in the pocket ready at hand for the daily inspection tasks. The slim designed work lights are also optimized in weight to provide maximum working comfort.

// Stepless dimmable



The STICK LITE hand lamps are upgraded with a stepless dimmer function in the range of 10 % to 100 % that enables you to easily adjust the light output to the work task.



STICK LITE S

03.5665

(SCANGRIP

Rechargeable work light with top light and stepless dimmer providing up to 200 lumen



STICK LITE M

03.5666

Rechargeable work light with top light and stepless dimmer providing up to 400 lumen

FU DESIGN PATENT 5597010



Ultra-slim, only 13 mm wide





With strong built-in magnets for positioning on any magnetic surface







EU DESIGN PATENT 2532929



// Bright inspection work light

STAR LITE is the universal, sturdy work light everyone must have as part of the basic equipment of the workshop. It is designed for efficient workshop use and provides an ergonomic and user-friendly design. STAR LITE is fitted with a turnable hook for easy suspension of the lamp.



STAR LITE

03.5671

Work light with cable providing 400 lumen







HEADLAMPS




// Compact headlamps designed for work

In almost every working situation it is convenient to have both hands free to carry out your work as efficiently as possible. The HEAD LITEs are developed to provide you with such in-dispensable and supportive bright work light.

Compared to the first generation of headlamps, the HEAD LITEs have been upgraded with the highly efficient COB LED technology that ensures optimal illumination of the work area throughout the day.

- Choose between Alkaline and rechargeable model
- Sensor function with touchless on/off switch
- Waterproof (IP54) to resist workshop environment
- High wear comfort with adjustable elastic headband



// High efficient COB LED headlamp

HEAD LITE S is a compact headlamp designed for the professional user who wants a basic headlamp that is easy to operate and applicable for all kinds of working tasks. It is supplied with a stepless dimmer function, and the lamp head is easily adjusted to obtain the optimum work lighting angle.



HEAD LITE S

03.5645

Headlamp with stepless dimmer providing up to 140 lumen











// Advanced headlamp with 2-in-1 light function

The rechargeable HEAD LITE is designed to provide optimum work light illumination with 2 different lighting functions in one: a floodlight beam angle illuminating your entire work area and a focused beam angle for inspection or long-distance use.



// Comfortable headlamp with batteries

HEAD LITE A is compact designed and comfortable to wear with a soft built-in protection pad to avoid imprint on the forehead. Actually, after only few minutes you will stop noticing you wear it. In spite of the small size, the light output has been improved and optimized for maximum performance, enabling the HEAD LITE A to illuminate your entire work area very efficiently. HEAD LITE A is easy to operate and applicable for all kinds of working tasks.

// Stepless dimmable



HEAD LITE and HEAD LITE A are upgraded with a stepless dimmer function in the range of $10\,\%$ to $100\,\%$ that enables you to easily adjust the light output to the work task.

// Touchless sensor



Both headlamps have touchless sensor function making it easy to switch on/off the lamp by just waving in front of the headlamp. In this way you can activate the lamp with thick gloves, and avoid touching the switch button with dirty hands. To avoid unintentional activation you have to activate the sensor with a dual movement.

// Flexible lighting position



The lamp head is easily adjusted to obtain the optimum work lighting angle.

HEAD LITE

03.5669

Rechargeable headlamp with sensor function and stepless dimmer providing up to 150 lumen

HEAD LITE A

03.5670

Headlamp with sensor function and stepless dimmer providing up to 150 lumen





ORIGINAL SCANGRIP

FLOOD LITE

// Range of 3 high performance floodlights in cool design

FLOOD LITE is a series of three compact floodlights easy to carry around from job to job.

Compared to the first generation, the FLOOD LITE range has been upgraded with the highly efficient COB LED technology to ensure improved performance and extremely bright illumination of the work area.

- Lightweight and compact in slim design
- Powerful illumination up to 3500 lumen
- Durable housing made of shock-resistant plastic material
- Choose between more light settings depending on actual job
- Built-in power bank
- Charging indicator





PATENT

// Compact floodlights designed for professional use

The sturdy and durable housing of the FLOOD LITEs is made of a highly shock-resistant plastic material, constructed for use in the demanding working environment.



// Flexible positioning

The FLOOD LITEs can be positioned onto the SCANGRIP TRIPOD providing a stationary work light solution in a height of up to 3m. If a mobile lighting solution is requested the FLOOD LITE can be mounted on the SCANGRIP WHEEL STAND. A dual bracket for positioning of two lamps is also available as optional accessory.

// Stepless dimmable



FLOOD LITE S and FLOOD LITE M are upgraded with a stepless dimmer function in the range of $10\,\%$ to $100\,\%$ that enables you to easily adjust the light output to the work task.



// Power bank

Built-in power bank with USB outlet to charge mobile devices



// Flexible stand

The stand made of powder coated steel can be used to hand-carry the lamp, as a hanger or to position the lamp in the desired lighting angle.



FLOOD LITES

03.5660

Rechargeable floodlight with stepless dimmer providing up to 1000 lumen



FLOOD LITE M

03.5661

Rechargeable floodlight with stepless dimmer providing up to 2000 lumen



FLOOD LITE MC

03.5662

Floodlight with 5 m cable providing up to 3500 lumen



Flexible positioning on scaffolding bracket







// VEGA 4 CONNECT

VEGA 4 CONNECT provides up to 4000 lumen and is compatible with METABO/CAS battery system 18V. At the same time, the SCANGRIP POWER SUPPLY can be used for direct power securing you light for the entire workday. VEGA 4 CONNECT provides very long operation time, up to 5 hours at 4000 lumen with METABO/CAS 18V 10.0 Ah battery.



VEGA 4 CONNECT

03.6104C



Use SCANGRIP POWER SUPPLY for direct power



Compatible with METABO / CAS battery system **18V**

Floodlight providing up to 4000 lumen

VEGA 2 CONNECT

03.6106C



Compatible with METABO / CAS battery system

Floodlight providing up to **18V** 2000 lumen



Change battery





CAS BATTERY 18V 5.2 Ah Item no. 03.6121



CAS CHARGER Item no. 03.6122



SCANGRIP POWER SUPPLY





// Powerful, diffused LED light

The many powerful LEDs of the VEGA LITE floodlights provide a diffused and pleasant, non-blinding, uniform work light, with a large dispersion. The entire range has been upgraded and now provides even more lumen than the previous versions.

// Designed for professionals

The lightweight, sturdy and durable housing of the VEGA LITEs is made of a highly shock-resistant plastic material, constructed for use in the demanding working environment. Contrary to traditional halogen work lights heat production is minimal avoiding fire hazard. The stand is made of powder coated steel and can be mounted directly on the SCANGRIP TRIPOD.

// Unique functionality

The VEGA LITE C+R is with the unique DUAL SYSTEM which means both rechargeable and with 5m cable providing complete flexibility and unlimited application possibilities.

// Power outlet

Both the new VEGA LITE COMPACT and the VEGA LITE floodlights are born with power outlet which offers additional functionality in daily use as more lamps can be connected in a string. Also, the outlet can be used as power source for tools and machinery.









VEGA LITE C+R

03.5451

NEW

Floodlight with DUAL SYSTEM providing up to 2500 lumen



VEGA LITE COMPACT

03.5673

Floodlight with 3 m cable and 1 power outlet providing 4000 lumen

DUAL 2 in 1 SYSTEM



PATENT 2954123



VEGA LITE provides 6000 lumen and is designed for "rough-service-use" with 2 power outlets on the back





VEGA **LITE**

03.5453

Floodlight with 5 m cable and 2 power outlets providing 6000 lumen

TOWER LITE CAS – 5000 lumen floodlight with integrated tripod



// Featuring two built-in floodlights, TOWER LITE CAS is ideal for the professional user who requires powerful and efficient illumination on the worksite.





// High flexibility

Featuring 360° flexible and turnable floodlights, the lights can be positioned in any direction to obtain the desired lighting angle, providing perfect lighting condition for painting and installation work. It is extendable up to 2 meters and features 2 level light output (50-100%) which makes it possible to adjust the light according to the work task.

TOWER LITE CAS is compatible with METABO/CAS battery system 18V or you can choose SCANGRIP POWER SUPPLY for permanent power supply.

// Slim design and lightweight

TOWER LITE CAS is the ideal mobile work light. Featuring a QUICK-FOLD system it is fast to set up the tripod in only a few seconds and fold again when the job is done.

In folded position the TOWER LITE CAS is compact and designed for one-hand transport with the integrated carrying handle. The sturdy, slim design and low weight of only 5.2 kg makes the TOWER LITE CAS tailored to bring around in the back of the car and convenient to carry around from one worksite to the other.











Use SCANGRIP POWER SUPPLY for direct power

TOWER LITE CAS

03.6105

Floodlight with built-in tripod providing up to 5000 lumen







// Illuminating the entire working area

The AREA LITE CO is a real basic work light especially designed to illuminate the entire room 360° around. The AREA LITE CO provides a diffused and pleasant, non-blinding, and uniform work light with large dispersion. These features are ideal for the demanding craftsman who requires powerful and efficient illumination of not only larger surfaces but the entire room carrying out any kind of repair, paint or construction work.

// Powerful 360° work light



The light output of the upgraded AREA LITE CO has been increased from 4000 lumen to 6000 lumen which is very powerful compared to similar lamps on the market. AREA LITE CO is extremely sturdy and durable and withstands being dropped.

// Flexible positioning

The AREA LITE CO can be positioned directly on the workbench or hang in the sturdy hook from any mounting option available. SCANGRIP mounting stands offer completely flexible lighting solutions; the lamp can be mounted directly onto the TRIPOD without any time spent on fastening obtaining a height of up to 3 m. If you need a mobile light that can be moved quickly from place to place the lamp can be mounted directly on the WHEEL STAND.



AREA LITE CO

360° work light with 5 m cable and power outlet providing 6000 lumen



Strong built-in nylon strap with hook for suspension. The strap is also

designed as a practical carrying strap



FU DESIGN PATENT 4070035











More lamps can be connected in a string by the power outlet of the AREA LITE CO and can also be used as power source for various tools and machinery.



// Lightweight TRIPOD with QUICK RELEASE function

With its lightweight and extremely handy design, the SCANGRIP TRIPOD 2M is indispensable for



stationary positioning of the work light for illumination in a specific working area. The tripod is extendable from 0.9 meter up to 2 meters, which gives you complete flexibility to position the light in the requested height. When mounted on the tripod the light can be tilted to provide the optimum beam angle.

Featuring a compact design and QUICK RELEASE function, it is easy and convenient to carry the tripod and set it up where illumination is needed. The tripod is extremely durable and can be applied for both indoor and outdoor use. The stable construction makes it safe even when fully extended. It is made of black painted aluminum.









// High stability tripod adjustable up to 3 m

The SCANGRIP TRIPOD is indispensable for stationary positioning of the work light for illumination in a specific working area. The SCANGRIP TRIPOD is extendable from only $1.35\,\mathrm{m}$ up to $3\,\mathrm{m}$ which gives you complete flexibility to position the light in the requested height.

The stable construction of the SCANGRIP TRIPOD makes it safe even when fully extended. It is supplied with anchor points that provide an opportunity for extra stability if the tripod is exposed to strong wind or standing on an uneven surface. To increase safety when in use the cable of the lamp can be fixed in the safety clips placed on each separate leg.

// Wheel stand for mobile positioning of the work light

The SCANGRIP WHEEL STAND makes it easy to move the light to where you need it, and at the same time you avoid uncomfortable and heavy lifting from one workplace to the other. It is upgraded with a new base which is equipped with 5 wheels for improved safety and stability and easy maneuverability. 2 of the wheels are lockable to secure a safe and fixed position.

As an additional feature, it now comes with a flexible bracket that enables you to easily position a second work light to illuminate from below. The extra mounting bracket is adjustable in the height and provides complete flexibility to position the light in the optimum height.

WHEEL STAND

03.5682

NEW
Upgraded version

SCAFFOLDING BRACKET



For flexible positioning on scaffoldings or any round object ø40-50 mm



Welded steel mounting cap 10 mm thread

SCANGRIP TRIPOD

03.5431



360° locking system for a firm grip

DUAL BRACKET



Dual bracket for positioning of two lamps





// Reliable flashlights for all work tasks

Whether you have to do inspection work or face a demanding task, the LITE FLASHLIGHT series offers both compact and powerful flashlights that provide high performance and are easy to carry throughout the workday. They are designed for any professional user who needs a reliable and sturdy flashlight.

// Focus function

By means of the focus function you can vary the beam angle from 10° to 60°, from concentrated and focused light beam angle to long-distance light.





The practical wrist strap provides a secure operation while keeping the flashlight close at hand at all time.



MINI LITE A

03.5102

Small pocket-sized flashlight with keychain providing 100 lumen





TORCH LITE 400

03.5154

Rechargeable

flashlight

providing

400 lumen

TORCH LITE 400 A

03.5153

Flashlight providing 400 lumen 03.5151

Pocket-sized flashlight providing 150 lumen

POCKET LITE A

PEN LITE A

03.5150 Penlight providing 100 lumen

WORK LITE series



		WORK LITE S	WORK LITE M
	Product number	03.5667	03.5668
	Light source	COBLED	COB LED Spot: High Power LED
(60)	LED performance, lumen/W	165	165
,	Luminous flux, lumen	25-250	35-350 Spot: 75
	Iluminance, lux@0.5 m	30-300	40-400 Spot: 600
	Adjustable light output	Stepless	Stepless
	Beam angle	120°	120°/40°
	CRI	Ra > 80	Ra > 80
	CCT	6000 K	6000 K / 6000 K
	Operating time with max. lumen, h	2	2
	Operating time with min. lumen, h	20	20
	Charging time, h	3	3.5
	Battery	3.7V / 1500 mAh Li-ion	3.7V / 2000 mAh Li-ion
	Protection class	IP20 / IK07	IP20 / IK07
	Impact resistance	1 m	1 m
	Cable	1 m USB	1 m USB
	Operating voltage AC	-	-
	Charging voltage/current DC	5V/1A	5V/1A
	Power consumption	Max 3 W	Max 4 W
	Charger incl.	No	No
	Temperature	-10° to +40°C	-10° to +40°C
	Dimensions	120 x 54 x 24 mm	180 x 54 x 27 mm
	Net weight	96 g	160 g



STICK **LITE M**

03.5666

COBLED

130

40-400 Spot: 75

50-500 Spot: 380

Stepless

110°/35°

Ra > 80

6000 K / 6000 K

2

20 3

3.7V / 1800 mAh Li-ion

IP20 / IK07

1 m

1 m USB

5V/1A

Max 4 W

No

-10° to +40°C

250 x 34 x 15 mm

88 g

STICK LITE series

STICK **LITE S**

03.5665

COBLED

165

20-200 Spot: 50

28-280 Spot: 380

Stepless

110°/35°

Ra > 80

6000 K / 6000 K

2

20

2.5

3.7V / 1200 mAh Li-ion

IP20 / IK07

1 m

1 m USB

5V/1A

Max 2.5 W


No

-10° to +40°C

150 x 34 x 13 mm

52 g







Product number
Light source

LED performance, lumen/W

Luminous flux, lumen

Iluminance, lux@0.5 m

Adjustable light output

Operating time with max. lumen, h

Operating time with min. lumen, h

Beam angle

Charging time, h
Battery

Protection class

Impact resistance

Operating voltage AC

Charging voltage/current DC Power consumption

CRI

ССТ

Cable

Charger incl.

Temperature

Dimensions



	TILAD LITE Series		
	HEAD LITE S	HEAD LITE A	HEAD LITE
Product number	03.5645	03.5670	03.5669
Light source	COB LED	COB LED	COB LED Spot: 1 SMD LEI
LED performance, lumen/W	100	127	127
Luminous flux, lumen	14-140	15-150	15-150 Spot: 75
Iluminance, lux@0.5 m	20-200	25-250	25-250 Spot: 3000
Adjustable light output	Stepless	Stepless	Stepless
Beam angle	110°	120°/100°	120°/100° Spot: 15°
CRI	Ra > 65	Ra > 80	Ra > 80
ССТ	6000 K	6000 K	6000 K / 6000 K
Operating time with max. lumen, h	1	6	1.5
Operating time with min. lumen, h	10	60	15
Charging time, h	-	-	3
Battery	Excl. (use 2 x AAA / 1.5V Alkaline)	3 x AAA / 1.5V Alkaline	3.7V / 800 mAh Li-ion
Protection class	IP30	IP54 / IK07	IP54 / IK07
Impact resistance	1 m	1 m	1 m
Cable	-	-	1 m USB
Operating voltage AC	-	-	-
Charging voltage/current DC	-	-	5V/1A
Power consumption	Max 1.5 W	Max 2 W	Max 2 W
Charger incl.	-	-	No
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	55 x 32.5 x 22 mm	70 x 35 x 40 mm	74 x 41 x 41 mm
Net weight	65 g	100 g	73 g

FLOOD LITE series		
FLOOD LITES	FLOOD LITE M	FL OOD I

	FLOOD LITE S	FLOOD LITE M	FLOOD LITE MC	
Product number	03.5660	03.5661	03.5662	
Light source	COBLED	COBLED	COBLED	
LED performance, lumen/W	170	170	170	
Luminous flux, lumen	100-1000	200-2000	1750-3500	
Iluminance, lux@0.5 m	140-1400	280-2800	2250-4500	
Adjustable light output	Stepless	Stepless	2 levels	
Beam angle	120°	120°	120°	
CRI	Ra > 80	Ra > 80	Ra > 80	
ССТ	6000 K	6000 K	6000 K	
Operating time with max. lumen, h	2	2	-	
Operating time with min. lumen, h	20	20	-	
Charging time, h	3.5	5	-	
Battery	3.6V / 5000 mAh Li-ion	7.2V / 5000 mAh Li-ion	-	
Protection class	IP54/IK07	IP54 / IK07	IP54 / IK07	
Impact resistance	1 m	1 m	1 m	
Cable	1 m USB	1 m USB	5 m / 2x1.0mm² H05RN-F	
Operating voltage AC	-	-	100-240 V	
Charging voltage/current DC	5V / 2A	5V / 2A	-	
Power consumption	Max 10 W	Max 13 W	Max 30 W	
Charger incl.	Yes	Yes	-	
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	
Dimensions	230 x 135 x 43 mm	275 x 163 x 47 mm	275 x 163 x 47 mm	
Net weight	885 g	1.48 kg	1.91 kg	

VEGA LITE series





	VEGA LITE C+R Upgraded	VEGA LITE COMPACT Upgra	ded VEGA LITE Upgraded
Product number	03.5451	03.5673	03.5453
Light source	66 SMD LED	83 SMD LED	123 SMD LED
LED performance, lumen/W	189	189	189
Luminous flux, lumen	1250-2500	4000	6000
Iluminance, lux@0.5 m	1900-3800	5500	8500
Adjustable light output	2 levels	No	No
Beam angle	100°	100°	100°
CRI	Ra > 80	Ra > 80	Ra > 80
ССТ	6000 K	6000 K	6000 K
Operating time with max. lumen, h	1.5	-	-
Operating time with min. lumen, h	3	-	-
Charging time, h	1.5	-	-
Battery	11.1V / 2600 mAh Li-ion	-	-
Protection class	IP54 / IK07	IP54 / IK07	IP54 / IK07
Impact resistance	-	-	-
Cable	5 m / 2x0.75 mm² H05RN-F	3 m / 3x1.5 mm² H05RN-F	5 m / 3x1.5 mm² H07RN-F
Operating voltage AC	100-240 V	100-240 V	100-240 V
Charging voltage/current DC	12.6V / 2.4 A	-	-
Power consumption	Max 18 W	Max 32 W	Max 45 W
Charger incl.	Yes	-	-
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	288 x 103 x 280 mm	288 x 103 x 280 mm	318 x 117 x 310 mm
Net weight	2.59 kg	2.46 kg	3.43 kg

AREA LITE CO
03.5637
168 SMD LED
189
6000
3000
No
360°
Ra > 80
6000K
-
-
-
-
IP54 / IK07
1 m
5 m / 3x1.5 mm² H07RN-F
220-240 V
-
Max 45 W
-
-10° to +30°C
305 x 199 mm
2.95 kg

FLASHLIGHT series



		MINI LITE A	PEN LITE A	POCKET LITE A	TORCH LITE 400 A	TORCH LITE 400
	Product number	03.5102	03.5150	03.5151	03.5153	03.5154
	Light source	LG	CREE XP-G2	CREE XP-G2	CREE	CREE
(👜	LED performance, lumen/W	158	142	142	165	165
4	Luminous flux, lumen	100	100	150	400	400
	Iluminance, lux@0.5 m	8000	300-4000	400-6000	800-15000	800-15000
	Adjustable light output	No	No	No	No	No
	Beam angle	10°	10° - 60°	10° - 60°	10°-60°	10°-60°
	Beam distance	Up to 80 m	Up to 60 m	Up to 70 m	Up to 120 m	Up to 120
	CRI	Ra > 75	Ra > 70	Ra > 70	Ra > 65	Ra > 65
	ССТ	6000 K	6000 K	6000 K	6000 K	6000 K
	Operating time with max. lumen, h	4.5	8	3.5	3	2.5
	Operating time with min. lumen, h	-	-	-	-	-
	Charging time, h	-	-	-	-	4
	Battery	3xAAA /1.5V Alkaline	2xAAA /1.5V Alkaline	1xAA /1.5V Alkaline	2xC /1.5V Alkaline	3.7V / 2600mAh Li-ion
	Protection class	IP54	IP54 / IK07	IP54/IK07	IP54/IK07	IP54 / IK07
	Impact resistance	1 m	1 m	1 m	1 m	1 m
	Cable	-	-	-	-	1 m USB
	Operating voltage AC	-	-	-	-	-
	Charging voltage/current DC	-	-	-	-	5V/1A
	Power consumption	Max 2 W	Max 1.5 W	Max 1.5 W	Max 5.1 W	Max 4.5 W
	Charger incl.	-	-	-	-	No
	Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
	Dimensions	ø28 x 102 mm	ø19 x 152 mm	ø20 x 110 mm	ø32 x 179 mm	ø29 x 163 mm
	Net weight	72 g	55 g	65 g	280 g	182 g



VEGA LITE CONNECT

		VEGA 4 CONNECT
	Product number	03.6104C
	Light source	105 LEDs
(<u>ee</u>)	LED performance, lumen/W	189
	Luminous flux, lumen	2000 / 4000 (step 1 / 2)
	Iluminance, lux@0.5 m	3000 / 6000 (step 1 / 2)
	Adjustable light output	2 levels
	Beam angle	100°
	CRI	Ra > 80
	ССТ	6000 K
	Operating time with max. lumen, h	2.25@18V 5.2 Ah battery
	Operating time with min. lumen, h	4.5@18V 5.2 Ah battery
	Operating time: backup battery, h	-
	Battery	Compatible with METABO / CAS battery system 18V
	Protection class	IP54 with power supply IP30 with battery
	Impact protection	IK07
	Impact resistance	1 m
	Charger input voltage	-
	Power consumption	Max 40 W
	Battery incl.	No
	Charger incl.	No
	Power supply incl.	No
	Temperature	-10° to +40°C
	Dimensions	280x289x103mm
	Net weight	2.02 kg

TOWER LITE CONNECT

03.6105C 120 LEDs 189 2500 / 5000 (step 1 / 2) 4000 / 8000 (step 1 / 2) 2 levels 110° Ra > 80 6000 K 2@18V 5.2 Ah battery 4.5@18V 5.2 Ah battery Compatible with METABO / CAS battery system 18V IP30 IK07 1 m Max 45 W No No	TOWER LITE CONNECT
189 2500 / 5000 (step 1 / 2) 4000 / 8000 (step 1 / 2) 2 levels 110° Ra > 80 6000 K 2@18V 5.2 Ah battery 4.5@18V 5.2 Ah battery - Compatible with METABO / CAS battery system 18V IP30 IK07 1 m - Max 45 W No	03.6105C
2500 / 5000 (step 1 / 2) 4000 / 8000 (step 1 / 2) 2 levels 110° Ra > 80 6000 K 2@18V 5.2 Ah battery 4.5@18V 5.2 Ah battery - Compatible with METABO / CAS battery system 18V IP30 IK07 1 m - Max 45 W No	120 LEDs
(step 1 / 2) 4000 / 8000 (step 1 / 2) 2 levels 110° Ra > 80 6000 K 2@18V 5.2 Ah battery 4.5@18V 5.2 Ah battery	
4000 / 8000 (step 1 / 2) 2 levels 110° Ra > 80 6000 K 2@18V 5.2 Ah battery 4.5@18V 5.2 Ah battery - Compatible with METABO / CAS battery system 18V IP30 IK07 1 m - Max 45 W No	
2 levels 110° Ra > 80 6000 K 2@18V 5.2 Ah battery 4.5@18V 5.2 Ah battery - Compatible with METABO / CAS battery system 18V IP30 IK07 1 m - Max 45 W No	4000 / 8000
Ra > 80 6000 K 2@18V 5.2 Ah battery 4.5@18V 5.2 Ah battery - Compatible with METABO / CAS battery system 18V IP30 IK07 1 m - Max 45 W No	
6000 K 2@18V 5.2 Ah battery 4.5@18V 5.2 Ah battery - Compatible with METABO / CAS battery system 18V IP30 IK07 1 m - Max 45 W No	110°
2@18V 5.2 Ah battery 4.5@18V 5.2 Ah battery - Compatible with METABO / CAS battery system 18V IP30 IK07 1 m - Max 45 W No	Ra > 80
4.5@18V 5.2 Ah battery Compatible with METABO / CAS battery system 18V IP30 IK07 1 m - Max 45 W No	6000 K
Compatible with METABO / CAS battery system 18V IP30 IK07 1 m - Max 45 W No	2@18V 5.2 Ah battery
METABO / ČAS battery system 18V IP30 IK07 1 m - Max 45 W No	4.5@18V 5.2 Ah battery
METABO / ČAS battery system 18V IP30 IK07 1 m - Max 45 W No	-
IK07 1 m - Max 45 W No No	METABO / ĊAS battery system
1 m - Max 45 W No No	IP30
- Max 45 W No No	IK07
No No	1 m
No No	-
No	Max 45 W
	No
	No
No	No
-10° to +40°C	-10° to +40°C
121x153x892mm	121x153x892mm
5.2 kg	5.2 kg





SCANGRIP CAS Accessories



SCANGINI CAS Accessories		
	CAS BATTERY 18V Li-POWER 5.2Ah	
Product number	03.6121	
Battery	18V 5.2Ah Li-power	
Cable	-	
Charger input voltage	F	
Output power	-	
Charging time, h	208min@100% with CAS charger 03.6122	
Protection class	IP20	
Impact protection	-	
Impact resistance	-	
Temperature	-10° to +40°C	
Dimensions	121x80.5x66mm	
Net weight	670 g	
Compatibility	-	

CAS CHARGER SC30	SCANGRIP POWER SUPPLY
03.6122	03.6123
-	-
1.35m 2x0.75mm2 H03V VH2-F	5m 2x0.75mm2 H05RN-F
220-240V AC 50/60Hz	100-240V AC 50/60Hz
Max 30 W	Max 90 W
-	-
IP20	IP65
-	IK07
-	1 m
0° to +40°C	-10° to +40°C
150x140x75mm	124x83x72mm
700 g	1 kg
12V-18V CAS battery	12V-18V SCANGRIP CAS work lights

One lighting solution for all battery packs

JUST CONNECT

Compatible with BERNER - BOSCH - BOSCH GREEN - DEWALT - EINHELL - FEIN - FESTOOL

FLEX - HAZET - HIKOKI - INGERSOLL - MAKITA - METABO - MILWAUKEE - RIDGID - SNAP-ON - WÜRTH



With the new SCANGRIP CONNECT series, we have created a range of hybrid and innovative work lights compatible across all leading power tool brands – an outstanding lighting solution never seen before!

We connect the world of power tool batteries and professional work lights providing complete freedom to use a SCANGRIP work light regardless of your battery brand preference.





// Maximal freedom

The SCANGRIP CONNECT range is compatible with the METABO/CAS battery system and all other 18V battery packs from leading power tools brands. As something unique, we also offer a POWER SUPPLY which can be used for direct power providing unlimited availability to light. With stands and suspensions available, the work lights can be placed anywhere you need efficient lighting offering complete flexibility at the worksite.





Convert your
SCANGRIP CONNECT
lamp to a corded model with the
POWER SUPPLY



An integrated battery backup function prevents you from being without light at any time

(Applies to NOVA 4 CONNECT, NOVA 10 CONNECT and AREA 10 CONNECT)




Compatible with **METABO / CAS** battery system For METABO / CAS no connector is required

OTHER SCANGRIP PRODUCT LINES



One lighting solution for all battery packs



Lighting solutions for high performance



Specialized work lights for the painting industry



Explosion proof lights



Portable lights for fast curing

// SCANGRIP is Europe's leading manufacturer of work lights for professionals providing the strongest and most comprehensive ranges of work lights with the latest LED lighting technology available on the market.

SCANGRIP is innovation from Denmark and receives strong recognition in the marketplace for its product design, and the products are known for their high quality.

SCANGRIP strives for perfection, and is continuously optimizing and improving light output, battery capacity, design and ergonomics, durability, user-friendliness, and functionality. The aim is to set new standards for professional work lights.

SCANGRIP was established in 1906 and has a long, impressive history of manufacturing high-quality hand tools and work lights for the industrial, construction, and automotive sectors.

SCANGRIP is part of Hultafors Group - a global company offering a unique portfolio of premium brands within personal protection, tools, and other equipment for discerning craftsmen. Together, we are on a mission to create a better day for professional users.